

**Toepassingslijst** - Lijst van industriële vloeistoffen en te gebruiken sorbents.

Chemical(vloeistof)	Olie vloeistoffen Polypropylene	Alle vloeistoffen / Chemicalien Polypropylene	Chemicalien Organic
Acetaldehyde		***	***
Acetic Acid		***	
Acetic Anhydride		***	
Acetone	***	***	***
Acetyl Chloride		***	
Acrolein	***	***	
Acrylonitrile		***	***
Acrylic Acid		***	
Acrylic Emulsions		***	***
Allyl Alcohol		***	***
Aminobenzoic Acid		***	
Ammonia (Anhydrous)	***	***	***
Ammonium Hydroxide	***	***	***
Amyl Acetate	***	***	
Amyl Alcohol		***	***
Aniline		***	***
Aqua Regia		***	
Aviation Fuel	***	***	***
Benzene	***	***	***
Benzoic Acid		***	
Benzonitrile		***	
Benzoyl Chloride		***	
Benzyl Alcohol		***	***
Boric Acid		***	***
Brake Fluid	***	***	***
Bromine		***	
Butyl Acetate	***	***	
Butyl Alcohol	***	***	***
Butyric Acid	***	***	
Butylamine		***	***
Butyric Acid	***	***	
Calcium Hydroxide		***	
Carbolic Acid		***	
Carbon Disulfide		***	
Carbon Tetrachloride	***	***	***
Castor Oil	***	***	***
Chlorine Water		***	
Chloroacetic Acid		***	

# OIL CONTROL SYSTEMS

DÉ OPLOSSING VOOR VLOEISTOFLEKKAGES & OPSLAG

Chlorobenzene		***	
Chloroform	***	***	***
Chromic Acid (50%)		***	
Chlorosulfonic Acid		***	
Citric Acid		***	
Clorox (Full Strength Bleach)		***	***
Corn Oil	***	***	***
Cottonseed Oil	***	***	***
Cresol	***	***	***
Cyclohexane	***	***	***
Detergents		***	***
Dichlorobenzene	***	***	
Diethylamine	***	***	
Diethyl Ether	***	***	***
Disooctyl Phthalate	***	***	***
Dinitrobenzene	***	***	
Dioxan		***	***
Ether	***	***	***
Ethyl Acetate	***	***	***
Ethyl Alcohol	***	***	***
Ethyl Benzene	***	***	
Ethyl Chloride	***	***	
Ethyl Ether	***	***	***
Ethyl Propionate	***	***	***
Ethylene Glycol		***	***
Formaldehyde		***	***
Formic Acid		***	
Fuel Oil	***	***	***
Gasoline	***	***	***
Gearbox Oil	***	***	***
Glacial Acetic Acid		***	
Glycerol		***	***
Heptane	***	***	***
Hexane	***	***	***
Hydrazine		***	
Hydrochloric Acid		***	
Hydrofluoric Acid		***	
Hydrogen Cyanide	***	***	
Hydrogen Peroxide		***	***
Isobutyl Alcohol	***	***	***
Isobutyric Acid	***	***	
Isopropyl Acetate	***	***	***
Isopropyl Alcohol	***	***	***
Kerosene	***	***	***
Ketones	***	***	***
Linseed Oil	***	***	***

# OIL CONTROL SYSTEMS

DÉ OPLOSSING VOOR VLOEISTOFLEKKAGES & OPSLAG

Lubricating Oil	***	***	***
Magnesium Hydroxide		***	
Methyl Alcohol	***	***	***
Methyl Chloride	***	***	
Methyl Ether	***	***	***
Methyl Ethyl Ketone	***	***	***
Methyl Propionate	***	***	***
Mineral Oil	***	***	***
Motor Oil	***	***	***
Naphthalene	***	***	***
Nitric Acid		***	
Nitrobenzene		***	
Nitrobenzoic Acid		***	
Nitrotoluene	***	***	***
Octane	***	***	***
Oleic Acid	***	***	
Olive Oil	***	***	***
Paraffin	***	***	***
Perchloroethylene	***	***	***
Petroleum Ether	***	***	***
Phenol		***	***
Phosphoric Acid		***	
Plating Solutions		***	
Potassium Hydroxide		***	
Propanol		***	***
Propionic Acid	***	***	
Propyl Alcohol	***	***	***
Propylene Glycol	***	***	***
Quinoline		***	
Resorcinol		***	
Salt Solutions (metallic)		***	***
Silicone Oil	***	***	***
Silver Nitrate		***	***
Soap Solution (concentrated)	***	***	***
Sodium Bicarbonate		***	***
Sodium Chloride		***	***
Sodium Hydroxide		***	
Sodium Hypochlorite		***	***
Sodium Nitrate		***	***
Stannic Chloride		***	
Starch		***	***
Styrene	***	***	***
Sucrose		***	***
Sulfuric Acid		***	
Synthetic Motor Oil	***	***	***
Tannic Acid		***	

# OIL CONTROL SYSTEMS

DÉ OPLOSSING VOOR VLOEISTOFLEKKAGES & OPSLAG

Toluene	***	***	***
Transformer Oil	***	***	***
Trichloroethylene	***	***	***
Triethylene Glycol	***	***	***
Turpentine	***	***	***
Urine		***	***
Vinyl Acetate	***	***	***
Vinegar		***	***
Xylene	***	***	***

## Opmerking:

De bovenstaande gegevens zijn alleen bedoeld ter informatie. Oil Control Systems claimt niet dat de vermelde gegevens absoluut accuraat zijn. Er wordt geen garantie op afgegeven. In alle gevallen wordt verondersteld dat de chemicaliën in kwestie omgevingstemperatuur en -druk hebben en worden gebruikt in de basistoestand, niet in verbindingen of mengsels. Om ze veilig te kunnen toepassen wordt gebruikers altijd aangeraden om kleine proefmonsters te nemen.